

Break -up details of posts in Office of TL&SS Division/Warangal and DE/TL&SS Division/Budidampadu(Khammam District)

Sl. No.	Name of the post	DE/TL&SS/Warangal																	DE/TL&SS Division/Budidampadu																									
		Division Office	220 KV SS						132 KV Sub-stations										EHT Lines					Total - A		Division Office	220 KV Sub-stations			132 KV Sub-Stations						EHT Lines			Total - B					
			Warangal	Pulukurthy (LIS)	Waddekotapally #	220KV Nagaram Sw. Stn	Bheemghanpur (LIS)	Gangaram (LIS)	Waddepally/ Manikonda	Pedda Nagaram	Mulugu	Dharmasagar (LIS)	Narasampeta	Jangaon	Mustial	Raghunathapally	Ayyagari palli	Nekkonda	Wardhanna pet	Kamalapur	Chelpur						Ghanapur	SD /WGL-1	SD/WGL-2	220 KV SS Nagaram *	Permt.	Temp.	S.R.Patnam	Manuguru	Budidampadu	Khammam	Ashwaraopet	Kusumanchi		Penuballi	Bhadrachalam	Madhira	Yellandu	SD /Budidampadu
1	DE/Elecl.	1																							1	1	1	1															1	
2	ADE/Elecl.		5	1	4	4	1	1	1													1	1			19	19		5	5	5									1	1		17	
3	AE/AAE(Elecl.)	1	1	5	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	8	31	39	1	1	1	1	5	1	1	1	1	1	1	2	2	2			21
4	Sub-Engineer (Elecl.)		4		4	4																				12	12		4	4	4												12	
5	Jr.Assistant ^^	1																								1	1	1															1	
6	Record Assistant																																							1		1		
7	Office Sub-Ordinate	1																								1	1	1													1		2	
O&M Establishment																																												
8	FM Gr-I																																								1		1	
9	LI	2																								2	2														5		5	
10	LM		3		1									1		1			1				4			11	11															7		7
11	LMD																						1			1	1													1		1		
12	Electrician																1									1	1		1	1		1												3
13	Fitter Gr-I		1		1										1											3	3		1														1	
14	Work Inspector		1																							1	1																	
15	ALM		2		1									1					1							5	5				6	1									3		10	
16	Tool Attendant														1		1									2	2																	
17	JLM		7		7									7	7	6	7		7				8			56	56		5	7		7	7							9		35		
18	Cleaner		2																							2	2																	
19	SWG-SOR				1									1	1		1		1				1			6	6	1	1	1	1	1	1							1		7		
20	Watchman		3																							3	3		2	2	2	1	1							1			9	
	TOTAL	6	29	6	20	9	6	6	2	1	1	1	1	1	11	11	8	11	1	11	1	1	1	3	17	2	8	158	166	5	20	21	19	16	10	1	1	1	1	1	3	33	2	134

The headquarters ADE/M/220 KV SS Waddekotapally to 132 KV SS Raghunathapally and later to 132 KV SS Waddepally vide Memo.No. CGM(HRD & Trg)/DE(T&MPP)/ADE-1(MPP)/A1/796/2010-1, dt: 21.06.2010 and T.O.O(Per-CGM(HRD&Trg).Rt.No.599, dt: 18.12.2010.respectively.

* 4 Nos. AE / AAE/Elecl., from 132 KV SS Kandi diverted to i). 2Nos. to Lines 220 KV SS Nagaram, ii). 2 Nos. to Lines 220 KV SS Sitarampatnam, vide T.O.O (Per-CGM(HRD&Trg.) Rt.No. 734, dt: 11.03.2011.

AJAY JAIN
CHAIRMAN AND MANAGING DIRECTOR

// Forwarded By order //

Assistant Divisional Engineer